

Structured Clinical Interview for Complicated Grief (SCI-CG)1

Note: Item #1 is only administered at baseline. For all other interviews, skip to Item #2.

The first questions take you back to the time of the death

#	Death of a loved one question	
	Have you experienced the death of someone close to you? (ask only if you don't already know)	NO YES 1 3
	Note: Who died? Name	(YES requires both
	Note: Relationship to the bereaved person:	AND more than 6 months ago)
	Note: How did she/he die?	[Note: This question is a
	Cause of death category:	screener and is not included in the total
	Illness <1 mo. Illness >1 mo. Murder Suicide Accident Other	score]
	Note: When did the death occur? Date	
	Circle one of the following indicating how many months ago the death occurred	
	< 6 mo 6-12 mo >12<24 mo >24 < 48 mo > 48 mo	

1 Bui, E., Mauro, C., Robinaugh, D. J., Skritskaya, N. A., Wang, Y., Gribbin, C., ... & Shear, M. K. (2015). THE STRUCTURED CLINICAL INTERVIEW FOR COMPLICATED GRIEF: RELIABILITY, VALIDITY, AND EXPLORATORY FACTOR ANALYSIS. *Depression and anxiety*, 32(7), 485-492.



PART A: (CRITERION: at least ONE of the following four symptoms is endorsed)

NOTE: Endorsement of a symptom means it is clearly endorsed and the patient experiences this symptom frequently over the past month.

#	Question	Not present	Unsure Equivocal	Present
1.	Do you often find yourself yearning or longing for a lot or feel a very strong desire to be with [her or him] again? Notes:	1	2	3
2.	Do you often feel very lonely, like you are all alone in the world now thatis gone or feel like your life is empty or no longer has purpose or meaning sincedied? Notes:	1	2	3
3.	Do you often have a wish to die in order to find or join or because life is not worth living if is not here? Notes:	1	2	3



#	Question	Not present	Unsure Equivocal	Present
4.	Do you often have thoughts or images of, that keep coming back even when you're focused on other things? Notes:	1	2	3

PART B: (CRITERION: at least TWO of the following symptoms are endorsed)

NOTE: Endorsement of a symptom means it is clearly endorsed and the patient experiences this symptom frequently over the past month.

#	Question	Not present	Unsure Equivocal	Present
5.	Do you think or worry a lot about how or why died, have guilty or selfblaming thoughts or beliefs related to the death, or worry a lot about not being able to manage without? Notes:	1	2	3



#	Question	Not present	Unsure Equivocal	Present
6.	Do you have trouble accepting the idea that is not coming back, like you can't really believe it, or like you think it should not have happened? Notes:	1	2	3
7.	Do you feel shocked or stunned by the death or feel emotionally numb, like you couldn't feel anything even if you wanted to? Notes:	1	2	3
8.	Do you feel bitter or angry about the death, or about something related to the death? Notes:	1	2	3



#	Question	Not present	Unsure Equivocal	Present
9.	Do you have difficulty trusting other people who haven't experienced a similar loss, find it difficult to care about or feel close to family or friends, or feel very envious of others who haven't experienced similar loss? Notes:	1	2	3
10.	Do you often have intense emotional reactions when you encounter reminders of the loss and/or have physical reactions like feeling nausea or upset stomach, or dizzy or racing heart or trouble breathing or other physical symptoms? Notes:	1	2	3



#	Question	Not present	Unsure Equivocal	Present
11.	Do you often avoid things because they are a reminder of your loss? For example, do you avoid places you went together, activities with other people that you associate with her/him, looking at pictures of her/him or anything else? Or avoid getting rid of's possessions even if you really need to? Notes:	1	2	3

IF the above criteria are met, confirm that the symptoms are causing clinically significant impairment over the past month:

#	Question	Not present	Unsure Equivocal	Present
12.	Do you feel confused or uncertain about your role in the world or your identity since died, find it difficult to pursue interests or plan for the future because you can't share things with anymore or is grief interfering a lot with your ability to work or socialize or function in other ways? Notes:	1	2	3